

EAST Search History**EAST Search History (Prior Art)**

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L6	20	5 and (urethane or polyester or polycaprolactone or pcl or polymethylmethacrylate or pmma or peve or pbma or phema or pevaca or pvac or pyrrolidone or ethylene-vinyl)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/06/18 16:28
L5	22	2 and (bioabsorbable with coating)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/06/18 16:00
L4	105	2 and bioabsorbable	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/06/18 15:59
L3	70	2 and urethane	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2010/06/18 15:55
L2	361	1 and @ad<"20030422"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2010/06/18 15:55
L1	1190	(623/1.42).OCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/06/18 15:55

EAST Search History (Interference)

< This search history is empty >

6/ 18/ 2010 5:04:46 PM**C:\ Documents and Settings\ kdowne\ My Documents\ EAST\ Workspaces\ 10 829 511 - silane coated stent.wsp**